BRONSEPRODUKTER
2023

Pilla

Høy kvalitet siden 1935

Italienske Pilla S.r.l. ble grunnlagt i 1935 som en produsent av bronse og fotokeramiske artikler. De holder til i Vicenza, mellom Verona og Venezia i Nord-Italia.

I markedet kjennetegnes Pilla-produktene ved sin spesielle farge og unike design. Kvaliteten på et Pilla-produkt karakteriseres ved den kjente etterbehandlingen. Denne finishen er allment anerkjent over hele verden siden 1935, og regnes som den høyeste kvalitet.

Pilla har spesialisert seg på å produsere artikler laget av bronse, messing, rustfritt stål, aluminium og porselen i anledning begravelser og for gravmonumenter. Varesortimentet består av omtrent 6000 forskjellige artikler. Vi lagerfører et større utvalg av artiklene fra Pilla.

Pilla Quality
GUARANTEED

Pilla Finishing

Pilla S.r.l. was founded in 1935 as a producer of bronze and photoceramics articles. Nowadays it manufactures as many as 6,000 different funeral articles made of brass, stainless steel, aluminium, and porcelain. Pilla products are distinguished on the market by their particular colouring (Pilla Finishing) and a unique geometric design. The quality of a Pilla product is characterized by the **famous Pilla Finishing** widely recognized as the highest quality worldwide since 1935.

Here are its main characteristics:

Our products are made of brass, 65% out of which is copper. Please find the exact components below:
Cu 65,580 – Sn 0,475 – Pb 1,305 – Fe 0,455 – Ni 0,426 – Al 0,343 – Mn 0,026 – Zn 30,434 – Si 0,888 – Sb 0,012
All of our products undergo a complex and time-consuming process of **brushing** thanks to which they acquire a maximum definition of details and the most exclusive look.

The Maintenance of a Pilla Product

In order to guarantee the **maximum resistance to oxidation and invariability of colour**, our products are protected by as many as **4 coats** of the highest quality varnish. This varnish is also used by the most prestigious car producers. It allows our products to maintain their original colour as well as feature long-time resistance. Thanks to frequent internal as well as external laboratory analyses which undergo our products, we are able to constantly control the qualitative level of our production.
The Maintenance of a Pilla Product
Our products should be cleaned with a damp soft cotton cloth only. Rough materials may damage the precious varnish layer of the product and as a result favour its oxidation. Please be aware that no common cleansing agents (detergents) should be used. We recommend using our protective self-polishing Pilla spray or popular cosmetics that protect a car's varnish.
Additional information:
It is impossible to determine the exact time of resistance of a Pilla product as it depends on the level of acidity present in the air of a given area where the product is exposed. Nonetheless, the protective surface of Pilla products proves to be more than double as resistant as competitors' products of equal quality.

Pilla S.r.l.

Pilla



Innhold

Sommerfugler 4

Fugler 6

Blomster 9

Figurer 14

Kors og rammer 18

Helfigurer 20

Lykter og vaser 22

Integrerte lykter 26

Steinvaser og steinlykter 27

Skrifter 28

Skriftplater 30

Fargeeksempler 31

Sommerfugler

P **1721.D15** 1.300,-
H.10 (L.6 - S.3)

P **1721.BR** 1.300,-
H.10 (L.6 - S.3)

P **1721.OR** 1.300,-
H.10 (L.6 - S.3)

P **1721.CR** 1.300,-
H.10 (L.6 - S.3)

P **1721.D112** 1.300,-
H.10 (L.6 - S.3)

P **1721.D40** 1.300,-
H.10 (L.6 - S.3)

P **1721.D98** 1.300,-
H.10 (L.6 - S.3)

P **1721.D113** 1.300,-
H.10 (L.6 - S.3)

P **1721.D114** 1.300,-
H.10 (L.6 - S.3)

P **1721.D39** 1.300,-
H.10 (L.6 - S.3)

P **1721.D29** 1.300,-
H.10 (L.6 - S.3)

P **1721.D66** 1.300,-
H.10 (L.6 - S.3)

P **1721.D42** 1.300,-
H.10 (L.6 - S.3)

P **1721.AL** 1.300,-
H.10 (L.6 - S.3)

P SIDEFESTE T UNDERFESTE H = Høyde, L = Lengde, S = Tykkelse

P 1722.D42 1.700,-
H.13,52 (L.6 - S.3,3)

P 1722.D29 1.700,-
H.13,52 (L.6 - S.3,3)

P 1722.VA 1.700,-
H.13,52 (L.6 - S.3,3)



P 1722.GIALLO 1.700,-
H.13,52 (L.6 - S.3,3)



P 1720.D29 1.200,-
H.5 (L.12 - S.3,5)

P 1773.D29 800,-
H.4,8 (L.5,7 - S.1,4)

P 1773.D66 800,-
H.4,8 (L.5,7 - S.1,4)

P 1773.AL 800,-
H.4,8 (L.5,7 - S.1,4)

P 1773.BR 800,-
H.4,8 (L.5,7 - S.1,4)

P 1722.BR 1.700,-
H.13,52 (L.6 - S.3,3)

Fugler

T 1798.D82 1.700,-
H.5,5
(L.7,6 - S.4,7)

T 1794.D82 1.700,-
H.6,8
(L.7,5 - S.5)

T 1795.D82 1.700,-
H.5,8
(L.7,8 - S.4)

T 1799.D82 1.700,-
H.5,3
(L.7,6 - S.4,9)

T 1798.AL 1.100,-
H.5,5
(L.7,6 - S.4,7)

T 1794.AL 1.100,-
H.6,8
(L.7,5 - S.5)

T 1795.AL 1.100,-
H.5,8
(L.7,8 - S.4)

T 1799.AL 1.100,-
H.5,3
(L.7,6 - S.4,9)

T 1798.BR 1000,-
H.5,5
(L.7,6 - S.4,7)

T 1794.BR 1000,-
H.6,8
(L.7,5 - S.5)



T 1795.BR 1000,-
H.5,8
(L.7,8 - S.4)

T 1799.BR 1000,-
H.5,3
(L.7,6 - S.4,9)

T 1798.BI 1.100,-
H.5,5
(L.7,6 - S.4,7)

T 1794.BI 1.100,-
H.6,8
(L.7,5 - S.5)

T 1795.BI 1.100,-
H.5,8
(L.7,8 - S.4)

T 1799.BI 1.100,-
H.5,3
(L.7,6 - S.4,9)

T 1798.CR 1.800,-
H.5,5
(L.7,6 - S.4,7)

T 1794.CR 1.800,-
H.6,8
(L.7,5 - S.5)

T 1795.CR 1.800,-
H.5,8
(L.7,8 - S.4)

T 1799.CR 1.800,-
H.5,3
(L.7,6 - S.4,9)

P SIDEFESTE T UNDERFESTE H = Høyde, L = Lengde, S = Tykkelse

T 1798.D141 1.700,-
H.5,5
(L.7,6 - S.4,7)

T 1794.D141 1.700,-
H.6,8
(L.7,5 - S.5)

T 1795.D141 1.700,-
H.5,8
(L.7,8 - S.4)

T 1799.D141 1.700,-
H.5,3
(L.7,6 - S.4,9)

T 1798.D25 1.700,-
H.5,5
(L.7,6 - S.4,7)

T 1794.D25 1.700,-
H.6,8
(L.7,5 - S.5)

T 1795.D25 1.700,-
H.5,8
(L.7,8 - S.4)

T 1799.D25 1.700,-
H.5,3
(L.7,6 - S.4,9)

T 1798.D11 1.700,-
H.5,5
(L.7,6 - S.4,7)

T 1794.D11 1.700,-
H.6,8
(L.7,5 - S.5)

T 1795.D11 1.700,-
H.5,8
(L.7,8 - S.4)

T 1799.D11 1.700,-
H.5,3
(L.7,6 - S.4,9)

T 1798.OR 1.800,-
H.5,5
(L.7,6 - S.4,7)

T 1794.OR 1.800,-
H.6,8
(L.7,5 - S.5)

T 1795.OR 1.800,-
H.5,8
(L.7,8 - S.4)

T 1799.OR 1.800,-
H.5,3
(L.7,6 - S.4,9)

T 1798.NE 1.100,-
H.5,5
(L.7,6 - S.4,7)

T 1794.NE 1.100,-
H.6,8
(L.7,5 - S.5)

T 1795.NE 1.100,-
H.5,8
(L.7,8 - S.4)

T 1799.NE 1.100,-
H.5,3
(L.7,6 - S.4,9)

Fugler

P **1848.BR** **1.300,-**
H.10,8
(L.9,4 - S.4,5)

P **4556.BR** **900,-**
H.9
(L.9,4 - S.1,4)

T **1658.4.BI** **900,-**
H.6,8
(L.6,6 - S.6)

P **4557.BR** **900,-**
H.9
(L.9,4 - S.1,4)

P **3705.BR** **2.200,-**
H.17 (L.23 - S.6,3)
Stor due

P **1848.D33** **2.200,-**
H.10,8
(L.9,4 - S.4,5)

T **2166.BI** **2.800,-**

P **4518.BR** **350,-**
H.4 (L.5 - S.1)
Pris pr. stk.

P **4512.AL** **1.800,-**
H.12
(L.15 - S.1,8)

T **2166.BR** **2.800,-**



P **4512.BR** **1.800,-**
H.12
(L.15 - S.1,8)

P **4512.D1.VP** **2.400,-**
H.12
(L.15 - S.1,8)

P SIDEFESTE T UNDERFESTE H = Høyde, L = Lengde, S = Tykkelse

P **6103.SX.D27** 4.300,-
H.32 (L.16 - S.4,3)
kan også leveres i høyre versjon

P **6103.BR** 3.300,-
H.32 (L.16 - S.4,3)
kan også leveres i høyre versjon

P **6103.SX.D33** 4.300,-
H.32 (L.16 - S.4,3)
kan også leveres i høyre versjon

P **6105.BR** 2.200,-
H.29
(L.13 - S.4,4)

P **1311.BR** 1000,-
H.13 (L.9 - S.1,6)

P **1311.AL** 1000,-
H.13 (L.9 - S.1,6)

P **1311.D1.VP** 1.300,-
H.13 (L.9 - S.1,6)

P **1958.D41** 3.100,-
H.19,5 (L.12 - S.2,1)

P **1311.OR** 1.300,-
H.13 (L.9 - S.1,6)

P **1311.CR** 1.300,-
H.13 (L.9 - S.1,6)

P **4529.BR** 2.100,-
H.25 (L.12 - S.2,6)

P **4517.D27** 1.700,-
H.15
(L.6 - S.1,8)

P **4529.D95** 2.500,-
H.25 (L.12 - S.2,6)

P **4529.AL** 2.100,-
H.25 (L.12 - S.2,6)

P **4529.D1.VP** 2.500,-
H.25 (L.12 - S.2,6)

Blomster

P **1779.BR** 2.900,-
H.24,5
(L.6,3 - S.3,2)

P **1779.D3** 2.900,-
H.24,5
(L.6,3 - S.3,2)

P **1779.D40** 2.900,-
H.24,5
(L.6,3 - S.3,2)

P **4633.D26** 3.800,-
H.15,5
(L.15 - S.1,2)

P **1775.BR** 2.800,-
H.23,2
(L.6,5 - S.3,6)

P **1775.D40** 2.800,-
H.23,2
(L.6,5 - S.3,6)

P **1775.D3** 2.800,-
H.23,2
(L.6,5 - S.3,6)

P **1826.D27** 5.200,-
H.42
(L.14,7 - S.7,8)

P **1780.D27** 2.900,-
H.24,5
(L.7,8 - S.3,4)

P **1780.BR** 2.900,-
H.24,5
(L.7,8 - S.3,4)

P **1780.D3** 2.900,-
H.24,5
(L.7,8 - S.3,4)

P **1826.BR** 3.800,-
H.42
(L.14,7 - S.7,8)

P **1777.D3** 2.900,-
H.24,5
(L.9,1 - S.3,8)

P **1777.BR** 2.900,-
H.24,5
(L.9,1 - S.3,8)

P **1777.D66** 2.900,-
H.24,5
(L.9,1 - S.3,8)

P SIDEFESTE T UNDERFESTE H = Høyde, L = Lengde, S = Tykkelse

P **1941.D3** **3.600,-**
H.23,5
(L.13,6 - S.4)

P **1940.D33** **3.900,-**
H.23,5
(L.10,5 - S.4,6)

P **1941.D63** **3.600,-**
H.23,5
(L.13,6 - S.4)

P **1373.D27** **1100,-**
H.8 (L.9 - S.1,5)

P **1940.D27** **3.900,-**
H.23,5
(L.10,5 - S.4,6)

P **1278.D** **3.200,-**
H.21,8 (L.8,4 - S.2)

P **2194.D27** **3.600,-**
H.9
(L.24 - S.3,9)

P **4522.D2.VP** **1.900,-**
H.18 (L.8 - S.1,8)

P **1397.AL** **1.400,-**
H.15 (L.14 - S.2,2)

P **1397.BR** **1.400,-**
H.15 (L.14 - S.2,2)

P **6101.D27** **2.400,-**
H.15
(L.13 - S.3,6)

P **6101.D33** **2.400,-**
H.15
(L.13 - S.3,6)

P **6106.D27** **1.900,-**
H.15
(L.8 - S.2,6)

P **6106.D33** **1.900,-**
H.15
(L.8 - S.2,6)

P **2155.D33** **4.100,-**
H.24,5
(L.12,2 - S.3)

P **1983.D33** **3.300,-**
H.20,5
(L.10,5 - S.3,5)

P **1983.D17** **3.300,-**
H.20,5
(L.10,5 - S.3,5)

P **2155.D93** **4.100,-**
H.24,5
(L.12,2 - S.3)

P **2340.20SX.D41** **3.300,-**
H.21,5
(L.8 - S.2,8)

P **2340.20.SX.BR** **3.300,-**
H.21,5
(L.8 - S.2,8)

P **1861.BR** **4.900,-**
H.25
(L.13,6 - S.3,8)

P **1857.BR** **4.900,-**
H.25
(L.13,6 - S.5)

P **1861.D27** **5.400,-**
H.25
(L.13,6 - S.3,8)

P **1857.D40** **5.400,-**
H.25
(L.13,6 - S.5)

P **1861.D3** **5.400,-**
H.25
(L.13,6 - S.3,8)



P **1857.D3** **5.400,-**
H.25
(L.13,6 - S.5)

P SIDEFESTE T UNDERFESTE H = Høyde, L = Lengde, S = Tykkelse

T 1715.D3 9.200,-
H.50,5
(L.13 - S.12)

P 1897.D41 3.300,-
H.21,5
(L.9,5 - S.4,5)

T 1816.D59 9.700,-
H.24
(L.38,5 - S.5,8)

T 1823.D27 5.300,-
H.17
(L.29,4 - S.5,8)

P 1897.D66 3.300,-
H.21,5
(L.9,5 - S.4,5)

T 1823.BR 5.300,-
H.17
(L.29,4 - S.5,8)

T 1823.AL 5.300,-
H.17
(L.29,4 - S.5,8)

T 1267.BR 3.900,-
H.14
(L.22 - S.5,6)

T 1267.D27 4.500,-
H.14
(L.22 - S.6)

P 1887.D66 3.400,-
H.23
(L.9,5 - S.2,3)

Eksempel på høyre montering av 1267.BR

1267 finnes i både høyre og venstrestilt utgave.

P **1814.BR** **1.700,-**
H.11,4
(L.17 - S.3)

P **1764.BR** **1.300,-**
H.9,8
(L.8,8 - S.1,7)

P **1758.BR** **1.300,-**
H.7,6
(L.8,4 - S.2)

1255.BR **2.400,-**
H.8

P **1814.D37** **1.800,-**
H.11,4
(L.17 - S.3)



P **1815.BR** **1.700,-**
H.14
(L.19 - S.3,9)

P **1815.D11** **1.800,-**
H.14
(L.19 - S.3,9)

P **1763.AL** **1.300,-**
H.10,3
(L.7 - S.1,9)

P **1755.BR** **1.300,-**
H.11,6
(L.6,7 - S.2,3)

P **1749.D34** **1.300,-**
H.12,2
(L.7,2 - S.3,2)

P **1763.BR** **1.300,-**
H.10,3
(L.7 - S.1,9)

P **1755.D11** **1.300,-**
H.11,6
(L.6,7 - S.2,3)

P **1755.D37** **1.300,-**
H.11,6
(L.6,7 - S.2,3)

P SIDEFESTE T UNDERFESTE H = Høyde, L = Lengde, S = Tykkelse

P 1013.DX.BR 1.300,-
H.9,5 (L.13 - S.1,5)

P 1013.6.DX.BR 800,-
H.6 (L.4,3 - S.0,6)

P 1881.BR 1.300,-
H.6,7
(L.14,2 - S.1,6)

P 1883.BR 1.300,-
H.6,9
(L.13,3 - S.1,6)

P 4611.D78 1.700,-
H.6,7
(L.10,4 - S.1,5)

P 1849.BR 1.200,-
H.13,2
(L.11,5 - S.1,7)

P 1762.BR 1.200,-
H.11
(L.6,5 - S.1,7)

P 4437.BR 700,-
H.9,2
(L.7,4 - S.1,5)

P 1880.12.BR 2.600,-
H.12,5
(L.9,5 - S.1,2)

P 4434.BR 1.200,-
H.14,2
(L.8 - S.1,4)

4629.D127 2.000,-
H.10,5
(L.7,3 - S.1,8)

P 10X10.AL 2.800,-
H.10
(L.10 - S.0,3)

P 10X10.BR 2.800,-
H.10
(L.10 - S.0,3)

P 4611.BR 1.700,-
H.6,7
(L.10,4 - S.1,5)



P 1762.AL 1.200,-
H.11
(L.6,5 - S.1,7)

P 2179.D52 1.800,-
H.4,8
(L.14,2 - S.2,5)

P 1759.D58 1.300,-
H.11,5
(L.7 - S.2,6)

P 1732.D29 1.700,-
H.9,3
(L.10,7 - S.1,2)

P 1732.BR 1.500,-
H.9,3
(L.10,7 - S.1,2)

P **1641.BR** **1.500,-**
H.9,2
(L.14,5 - S.2,5)

P **1640.BR** **1.500,-**
H.12,5
(L.15,5 - S.3)

P **2174.D37** **2.200,-**
H.7,7
(L.8,1 - S.5,6)

P **4574.D21** **1.100,-**
H.8,6
(L.7 - S.1,5)
HELFIGUR **1.700,-**

P **4575.D21** **1.100,-**
H.9,2
(L.9,2 - S.1,5)

P **4402.D11** **1.100,-**
H.6
(L.10 - S.1,5)

P **1909.BR** **1.600,-**
H.3,7
(L.14 - S.1,4)

P **1904.BR** **2.900,-**
H.11
(L.15 - S.3,2)

P **1905.BR** **700,-**
H.7,2
(L.2,8 - S.0,4)

P **4535.BR** **1.600,-**
H.17
(L.13,2 - S.2,7)

P **1760.D57** **1.500,-**
H.7,3
(L.9,5 - S.2,8)

P 1980.AL 1.600,-
H.9,5
(L.9,8 - S.2,3)

P 1980.6.AL 1000,-
H.5,4
(L.5,6 - S.1,5)

P 1980.3.AL 800,-
H.2,9
(L.3,1 - S.0,8)

P 777.A 800,-
H.3
(L.3 - S.0,4)

P 777.B 800,-
H.3
(L.3 - S.0,4)

P 2198.10.BR 1.900,-
H.9,6
(L.9,8 - S.0,8)

P 2198.10.CR 1.900,-
H.9,6
(L.9,8 - S.0,8)

P 1980.D49 1.600,-
H.9,5
(L.9,8 - S.2,3)

P 1980.6.D49 1000,-
H.5,4
(L.5,6 - S.1,5)

P 1980.3.D49 800,-
H.2,9
(L.3,1 - S.0,8)

P 2009.D49 2.700,-
H.12
(L.13,7 - S.3,3)

P 1980.BR 1.600,-
H.9,5
(L.9,8 - S.2,3)

P 1980.6.BR 1000,-
H.5,4
(L.5,6 - S.1,5)

P 1980.3.BR 800,-
H.2,9
(L.3,1 - S.0,8)

P 1312.OR 2.500,-
H.8
(L.8 - S.0,8)

P 1312.BR 2.000,-
H.8
(L.8 - S.0,8)
m/tekst 1000,- ekstra

P 2007.BR 700,-
H.3
(L.5 - S.1,2)

P 1977.D49 1.900,-
H.7
(L.10,9 - S.0,6)

P 1978.D66 2.100,-
H.9,6
(L.11 - S.1,8)

P 2004.D107 1.700,-
H.6,4
(L.5,6 - S.3,3)

P 2004.D98 1.700,-
H.6,4
(L.5,6 - S.3,3)

3715.BR 1.600,-
H.3,4
(L.11,6 - S.1,2)

P 1324.40.R 3.200,-
H.40 (L.15)

P 1324.40.0R.D27 3.900,-
H.40 (L.15)

P 1324.40.0R 3.200,-
H.40 (L.15)

P 1324.40.0.BR 2.000,-
H.40 (L.15)

P 1324.280.0.BR 1.500,-
H.28 (L.15)

P 2110.BR 900,-
H.12,9
(L.5,8 - S.1,9)

P N.7X9.0V.BR 500,-
P N.8X10.0V.BR 600,-
P N.9X12.0V.BR 700,-
P N.11X15.0V.BR 800,-

P 2110.DX.D63 1.100,-
H.12,9
(L.5,8 - S.1,9)

P N.9X12.0V 1.000,-
Blue Cielo

P N.9X12.0V.BI 1.000,-

P N.9X12.0V.AL 1.000,-

P 2110.DX.D54 1.100,-
Rosa
H.12,9 (L.5,8 - S.1,9)

P N.9X12.0V 1.000,-
Rosa

P N.13X18.BR 1.100,-

P N.9X12.0V.CR 1.000,-

P N.10X10.BR 800,-

PORSELENSBILDE 3.500,-
NB: UTEN RAMME

P SIDEFESTE T UNDERFESTE H = Høyde, L = Lengde, S = Tykkelse

P 1326.41.BR 1.700,-
H.41
(L.14 - S.1)

P D.BR 8CM 700,-
P D.BR 10CM 700,-
P D.BR 12CM 700,-
P D.BR 30CM 900,-
P D.BR 35CM 1000,-
P D.BR 40CM 1.200,-

P 1336.15.BR 1.000,-
P 1336.11.BR 800,-

P GOTISK KORS 1.000,-
H.9
(L.6 - S.0,5)

P 1204.20.BR 1.500,-
P 1204.15.BR 1.200,-

P 1322.41.BR 2.500,-
H.41
(L.14 - S.1)

P 1322.41.OR 4.700,-
H.41
(L.14 - S.1)

P 12.8.BR 700,-
P 12.13.BR 900,-
P 12.16.BR 900,-

P 12.8.OR 1.000,-

P 12.8.CR 1.000,-

P 1298.28 1.300,-
H.28 (L.15 - S.1)
P 1298.40 1.600,-
H.40 (L.15 - S.1)

P 1303.15.BR 700,-
P 1303.20.BR 800,-

P 1208.BR 900,-
H.12
(L.6)

P 1208.BR.IT 900,-
H.12
(L.6)

Helfigurer

T **1668.D** 7.700,-
H.25 (13x9)

T **1579.BR** 9.900,-
H.62 (L.14 - 11x14)

T **1579.D29** 11.900,-
H.62 (L.14 - 11x14)



T **1659.D** 7.700,-
H.27 (12x9,5)

T **6514** 7.700,-
H.25 (6x6)

T 1666.C.BR 18.900,-
H.38 (L.17 - S.29,5)

T 1892.AL 5.400,-
H.14
(L.6,5 - S.7,6)

T 1892.BR 5.400,-
H.14
(L.6,5 - S.7,6)

T 1892.BI 5.400,-
H.14
(L.6,5 - S.7,6)

T 1890.AL 4.400,-
H.7,6
(L.14,2 - S.7)

T 1890.BR 4.400,-
H.7,6
(L.14,2 - S.7)

T 1890.BI 4.400,-
H.7,6
(L.14,2 - S.7)

T 2175.BR 2.000,-
H.2,7
(L.14,1 - S.6)

P **1128.BR** 4.900,-
H.19
(L.11 - S.11,5)

T **1129.BR** 4.900,-
H.19
(L.11 - 7,5x7,5)

P **1128.AL** 4.900,-
H.19
(L.11 - S.11,5)

T **1129.AL** 4.900,-
H.19
(L.11 - 7,5x7,5)

P **1128.BI** 5.500,-
H.19
(L.11 - S.11,5)

T **1129.BI** 5.500,-
H.19
(L.11 - 7,5x7,5)

P **1128.NE** 5.500,-
H.19
(L.11 - S.11,5)

T **1129.NE** 5.500,-
H.19
(L.11 - 7,5x7,5)

P **830.BR** 3.900,-
H.20,3
(L.11,5 - S.12,3)

T **831.BR** 3.900,-
H.20,3
(L.11,5 - Ø 6,7)

P **830.AL** 3.900,-
H.20,3
(L.11,5 - S.12,3)

T **831.AL** 3.900,-
H.20,3
(L.11,5 - Ø 6,7)

P **830.BI** 4.800,-
H.20,3
(L.11,5 - S.12,3)

T **831.BI** 4.800,-
H.20,3
(L.11,5 - Ø 6,7)

P **830.NE** 4.800,-
H.20,3
(L.11,5 - S.12,3)

T **831.NE** 4.800,-
H.20,3
(L.11,5 - Ø 6,7)

T **781.BR** 4.400,-
H.19
(L.12 - S.12)

T **781.AL** 4.400,-
H.19
(L.12 - S.12)

T **781.BI** 4.900,-
H.19
(L.12 - S.12)

T **781.NE** 4.900,-
H.19
(L.12 - S.12)

P SIDEFESTE T UNDERFESTE H = Høyde, L = Lengde, S = Tykkelse

P **1128.CR** 7.200,-
H.19
(L.11 - S.11,5)

T **1129.CR** 7.200,-
H.19
(L.11 - 7,5x7,5)

P **1128.LB** 5.500,-
H.19
(L.11 - S.11,5)

T **1129.LB** 5.500,-
H.19
(L.11 - 7,5x7,5)

P **1128.TR** 5.500,-
H.19
(L.11 - S.11,5)

T **1129.TR** 5.500,-
H.19
(L.11 - 7,5x7,5)

P **1128.NP** 5.500,-
H.19
(L.11 - S.11,5)

T **1129.NP** 5.500,-
H.19
(L.11 - 7,5x7,5)

P **830.CR** 5.500,-
H.20,3
(L.11,5 - S.12,3)

T **831.CR** 5.500,-
H.20,3
(L.11,5 - Ø 6,7)

P **830.LB** 4.800,-
H.20,3
(L.11,5 - S.12,3)

T **831.LB** 4.800,-
H.20,3
(L.11,5 - Ø 6,7)

P **830.TR** 4.800,-
H.20,3
(L.11,5 - S.12,3)

T **831.TR** 4.800,-
H.20,3
(L.11,5 - Ø 6,7)

P **830.NP** 4.800,-
H.20,3
(L.11,5 - S.12,3)

T **831.NP** 4.800,-
H.20,3
(L.11,5 - Ø 6,7)

T **782.AL** 4.400,-
H.19
(L.12 - S.12)

T **782.BR** 4.400,-
H.19
(L.12 - S.12)

T **783.AL** 4.400,-
H.19
(L.12 - S.12)

T **783.BR** 4.400,-
H.19
(L.12 - S.12)

T 798.22.AL 5.000,-
H.22 (L.13 - S.13)

T 798.22.BR 5.000,-
H.22 (L.13 - S.13)

T 797.22.AL 5.000,-
H.22 (L.13 - S.13)

T 797.22.BR 5.000,-
H.22 (L.13 - S.13)

T 984.AL 3.600,-
H.21 - Ø 11

T 984.BR 3.600,-
H.21 - Ø 11

T 993.24.AL 3.600,-
H.24 - Ø 11

T 993.24.BR 3.600,-
H.24 - Ø 11

T 996.20.AL 3.600,-
H.20 - Ø 10,5

T 996.20.BR 3.600,-
H.20 - Ø 10,5

T 996.20.BI 3.600,-
H.20 - Ø 10,5

T 996.20.NE 3.600,-
H.20 - Ø 10,5

P 726.BR 4.900,-
H.19,5
(L.13 - S.11,5)

T 673.BR 4.900,-
H.20
(L.13 - Ø 6)

P 356.BR 4.900,-
H.19
(L.12 - S.12,5)

T 357.BR 4.900,-
H.19
(L.11 - Ø 6)

P 356.SB 7.000,-
H.19
(L.12 - S.12,5)

T 357.SB 7.000,-
H.19
(L.11 - Ø 6)

P SIDEFESTE T UNDERFESTE H = Høyde, L = Lengde, S = Tykkelse

T 482.19.AL 4.900,-
H.19 (P. 10x10 cm)

T 482.19.BR 4.900,-
H.19 (P. 10x10 cm)

T 482.19.NE 5.500,-
H.19 (P. 10x10 cm)

T 482.19.BI 5.500,-
H.19 (P. 10x10 cm)

T 925.19.AL 4.400,-
H.19 - Ø 13

T 925.19.BR 4.400,-
H.19 - Ø 13

T 1129.CS 5.500,-
H.19 (L.11 - S.11,5)

T 371.CS 5.000,-
H.19 (L.10 - Ø 6)

LYKTEBRAKETTER

P.6892 500,-



T 371.AL 3.700,-
H.19 (L.10 - Ø 6)

T 371.BR 3.700,-
H.19 (L.10 - Ø 6)

T 602.BR 3.500,-
H.20 (L.10 - Ø 6,5)

T 153.25.BR 2.200,-
H.25 (L.9,5)

292R.D 6.000,-
H.4 (Ø 19,5)
Vase for nedfelling
i bedplate

T 405.BR 4.000,-
H.20 (L.11 - Ø 6)

T 371.CR 5.500,-
H.19 (L.10 - Ø 6)

2080.32.BR 7.900,-
H.32 (L.14)

2080.32.AL 7.900,-
H.32 (L.14)

2080.32.CR 8.800,-
H.32 (L.14)

2080.32.BR.IT 7.900,-
H.32 (L.14)

2080.32.NE 7.900,-
H.32 (L.14)

2080.32.BI 7.900,-
H.32 (L.14)

Integrert lykt
For- og bakside

BATTERILYS TIL BRONSELYKTER 250,-
6823

2080.32.ARANCIONE 7.900,-
H.32 (L.14)

STEINVASE 4.500,-
Sort Granitt
(Modell 23)
H.23 - Ø 13

STEINVASE 4.500,-
Orion Blå
(Modell 23)
H.23 - Ø 13

0740.AL 4.900,-
Topp i Sort Granitt
H.22 - Ø 13

0740.AL 4.900,-
Topp i Orion Blå
H.22 - Ø 13

0740.BR 4.900,-
Topp i Hallandia/
Aurora
H.22 - Ø 13

0740.BR 4.900,-
Topp i Sort granitt
H.22 - Ø 13

STEINURNE 4.500,-
Sort Granitt
H.15 - Ø 30

STEINURNE 4.500,-
Grå Granitt
H.15 - Ø 30

STEINURNE 4.500,-
Hallandia/Aurora
H.15 - Ø 30

STEINURNE 4.500,-
Hvit Gneis
H.15 - Ø 30

STEINLYKT 5.000,-
Sort Granitt
(Modell 333)
H.25 (L.14)

JOLLY - Lakkert bronse

LAGERVARE

Bronse
4.400,-
Farge og Gull
8.800,-

ROMANO - Lakkert bronse

LAGERVARE

Bronse
3.300,-
Farge og Gull
6.600,-

ROMANO - Brunert/Patinert

Brunert/Patinert
3.300,-
Farge og Gull
6.600,-

ROMANO - Sort

Sort/Hvit
6.600,-

MASTER

LAGERVARE

Bronse
4.900,-
Farge
7.700,-
Gull
7.700,-

CORSIVO DOC - Lakkert bronse

Bronse
6.600,-
Farge
11.000,-

CORSIVO DOC - Gull

Gull
11.000,-

CORSIVO DOC - Cromato

Cromato
11.000,-

Oppgitte priser er pr. navn.

ALLE SKRIFTER KAN LEVERES I ALLE FARGER:

Rosa Melange

Rosso Melange

Porpora BC

Arrancione BC

Marone BC

Nero

Cromato

Silver Black

Gull

BR.IT

BR

Bianco

Blue Cielo Melange

Blue Cielo BC

Verde Smeraldo Melange

Verde Aqua BC

Grigio Melange

Marmital Carrara

P **SKRIFTPLATE 1** 7.500,-
H.18 (L.27 - S.0,5)

P **SKRIFTPLATE 1** 7.500,-
H.20 (L.25 - S.0,5)
(Fås i flere størrelser)

P **SKRIFTPLATE 2** 8.800,-
H.18 (L.27 - S.1)

P **SKRIFTPLATE 2** 8.800,-
H.15 (L.25 - S.1)

P **SKRIFTPLATE 3 BR.MATT** 7.500,-
H.15 (L.20 - S.0,5)

P **1414.BR** 4.600,-
H.14,5 (L.21)

P **1709.BR** 7.000,-
H.17 (L.26 - S.0,8)

P **1707.BR** 7.700,-
H.21 (L.31 - S.1,5)

P **1426.BR** 5.500,-
H.17 (L.25,5 - S.3)

P **1922.12.BR** 1.500,-
H.6,5 (L.11,8 - S.1,3)

P **1922.16.BR** 2.000,-
H.8,6 (L.15,7 - S.1,5)

P **1922.20.BR** 2.500,-
H.10,8 (L.19,6 - S.1,7)
Med tekst 1.000,- ekstra

P **1312.BR** 2.000,-
H.8 (L.8 - S.0,8)
Med tekst 1.000,- ekstra

ALLE ARTIKLER KAN LEVERES I FØLGENDE FARGEUTVALG:



EKH GRAFISK miljømerket trykksak 2041 0690